

Key Features

- ❑ All-In-One POS with 15.6" TFT LCD widescreen display
- ❑ Fanless design for silent operation
- ❑ Processor Intel Celeron J6412 provide stable performance
- ❑ Integrated 80mm printer, more space saving



MODEL		HK528 J6412
Processor		Intel Celeron J6412, Gemini Lake, Quad core, 2.0 GHz up to 2.6 GHz
Operating System		Windows 10 Linux Windows 11 in 2023
Memory		SO-DIMM DDR4 3200MHz 4GB, up to 16GB
Storage		M.2 SATA 128GB, up to 256GB
Display Panel		15.6" LED widescreen / Standard resolution: 1920*1080
Touch Screen		True flat capacitive touch screen
Power Supply		24V 90W
Speaker		1*3W Speaker
I/O Ports	USB	6*USB (4*USB 2.0, 2*USB 3.0)
	Power-in	1*24V Power-in
	Serial	1*RJ50 Serial port
		1*DB9 Serial port
	LAN	1*100M/1000M Gigabit LAN
	Cash Drawer	1*24V RJ11 for Cash drawer
	Audio	1*Audio, 3.5mm
Video	1*DP	
Optional Peripherals	Camera	Face ID payment camera
		Membership recognition camera, 800W
	Wireless connection	Dual-band Wi-Fi® 802.11a/b/g/n/ac 2.4GHz/5GHz
		BT 5.0
	2nd Display	10.1"second screen/ Resolution: 1280*800 (Touch / Non-Touch)
		15.6"second screen/ Resolution: 1920*1080 (Touch / Non-Touch)
	Card Reader	MSR only (3 tracks MSR)
MSR+RFID (Supports MIFARE one and MIFARE CPU card)		
Printer	Integrated 80mm Thermal printer	
Fingerprint reader	Fingerprint reader	
Dimensions (L x W x H)		380 × 250 × 375 mm
Weight		5 Kg
Tilt Adjustment		10° - 50° (Vertical)
Operating Voltage		100V~240V
Temperatures	Operating	0°C - 40°C / 35%-80% RH non-condensing
	Storage	-20°C - 55°C / 20%-93% RH non-condensing
EMC and Safety		CE / FCC / RoHS Pending
Colour		Black / White



- Optional 15.6" second display
- Optional 10.1" second display



- Optional FaceID Camera
- Optional membership camera
- Optional 80mm Printer
- Optional MSR Reader
- Optional RFID Reader
- Optional Fingerprint Reader



Disclaimer: All products specifications are subject to change without notice.

QINGDAO HISTONE INTELLIGENT COMMERCIAL SYSTEM CO.,LTD.
Wisdom Valley,NO.8 Shengshui Road, Laoshan District, Qingdao City, China.
Tel: +86 (532) 66069168

 infosos@histonetec.com  www.hics.histonetec.com

HiStone